


NOSEMBEE PLUS



NOSEMBEE PLUS

Each 1 L Nosembee Plus contains;

Beta vulgaris extract	600.000 mg
Salicylic acid	103.500 mg
Sodium bicarbonate	



NOSEMBEE PLUS

- **NOSEMA**

The sickness called Nosema, which is caused by the spores called *Nosema apis* and *Nosema cerena* is one of the most important mature bee diseases. It is infectitious and dangerous. This disease is usually seen at the beginning of the Spring and during the last days of the Autumn.

The worker bees get this disease when they carry water and similar things which contain nosema spores or when they are throwing out the stools of the bees with nosema. As the disease develop the bee hive becomes weak.



NOSEMBEE PLUS

- **NOSEMA**

Those bees which get Nosema cannot fly and they creep on the ground. They become as if they are having paralysis, and they look as if they are having Diarrhea. The signs of the disease of Nosema are such that the abdomens of the bees on the base plate of the hive and on the flying plate are tumid. The dead bees and stools on the flying plate of the hive play an important role in the diagnosis of the disease.



NOSEMBEE PLUS

- **NOSEMA**

- ☐ *N. ceranae* causes significant losses to bee colonies.

- ☐ It can be control by good management practices combined with a sound therapeutical treatment



NOSEMBEE PLUS

- **NOSEMA**

- ☐ Strong colonies free as possible from Varroa
- ☐ Winter young and well fed bees with protein in sunny locations
- ☐ Sterilize contaminated combs
- ☐ Minimize colony stress



NOSEMBEE PLUS

- **BETA VULGARIS**

Owing to the herbal extract that it contains, it also has natural minerals and vitamins.



NOSEMBEE PLUS

- **SALICYLIC ACID**

Salicylic acid (from Latin salix, willow tree, from the bark of which the substance used to be obtained) is a monohydroxybenzoic acid, a type of phenolic acid and a beta hydroxyl acid. Salicylic acid has sporocidal effect.



NOSEMBEE PLUS

- **PROPERTIES AND ACTIVITY**

- ☐ Prevention and treatment of nosema disease
- ☐ Decreases honeybee deaths



NOSEMBEE PLUS

- **DOSAGE**

For treatment:

Totally 40 ml is applied per hive.

10 ml Nosembee Plus per hive that the bee can eat is mixed with 1/1 syrup and it is applied four times every second days.

For prevention:

Totally 20 ml is applied per hive.

10 ml Nosembee Plus per hive that the bee can eat is mixed with 1/1 syrup and it is applied two times every second days.



NOSEMBEE PLUS

- **COMBINATIONS**

For treatment:

4 times 10 ml Nosembee Plus and 5 ml Beetonic with 500 ml-1000 ml 1/1 sugar syrup the same time.

For prevention:

2 times 10 ml Nosembee Plus and 5 ml Beetonic with 500 ml-1000 ml 1/1 sugar syrup the same time.



NOSEMBEE PLUS

- **WITHDRAWAL PERIOD**

Not applicable



NOSEMBEE PLUS

- **VALIDITY**

24 months



NOSEMBEE PLUS

- **PACKAGE**
250 ml-500 ml-1L bottles

